AMENDMENTS

In the Claims

- 1. (Canceled)
- 2. (Currently amended) The composition of claim 1100 wherein said alkane sulfates, alkane sulfonates, and phosphate esters comprise a carbon chain having have from about 8 to about 18 carbon atoms; and said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having a carbon chain of about 8 to about 30 carbon atoms and having from about 3 to about 50 moles ethylene oxide.
- 3. (Currently amended) The composition of claim $1\underline{100}$ wherein said polyoxyethylene alcohols emprise have from about 13 to about 15 carbon atoms.
- 4. (Currently amended) The composition of claim 1100 wherein said polyoxyethylene alcohols comprise have from about 3 to about 20 moles ethylene oxide.
- 5. (Currently amended) The composition of claim 2 wherein said polyoxyethylene alcohols eemprisehave from about 3 to about 20 moles ethylene oxide.
- 6. (Currently amended) The composition of claim 3 wherein said polyoxyethylene alcohols emprise have from about 3 to about 20 moles ethylene oxide.
- 7. (Currently amended) The composition of claim ± 100 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols having about 10 moles ethylene oxide, and a combination thereof.
- 8. (Previously presented) The composition of claim 2 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols having about 10 moles ethylene oxide, and a combination thereof.
- 9. (Previously presented) The composition of claim 3 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols having about 10 moles ethylene oxide, and a combination thereof.
- 10. (Currently amended) The composition of claim ±100 wherein said combination comprises a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%.

- 11. (Previously presented) The composition of claim 2 wherein said combination comprises a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%.
- 12. (Previously presented) The composition of claim 4 wherein said combination comprises a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%.
- 13. (Previously presented) The composition of claim 5 wherein said combination comprises a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%.
- 14. (Previously presented) The composition of claim 6 wherein said combination comprises a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%.
- 15. (Currently amended) A composition for emulsifying free hydrocarbons in drill cuttings comprising:
 - a combination comprising a blend of non-ionic emulsifier and anionic emulsifier at a ratio of about 50/50 wt% to about 85/15 wt%, said blend having an HLB effective to emulsify said free hydrocarbons and comprising a mediamedia adapted to initiate acid reactive polymerization upon exposure to of a polymerizable silicate solution-;
 - wherein said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and,
 - said non-ionic emulsifiers are selected from the group consisting of linear polyoxyethylene alcohols having from about 13 to about 15 carbon atoms and having about 10 moles ethylene oxide, and a combination thereof.

16-24. (Canceled)

25. (Currently amended) The composition of claim ± 100 wherein said alkane sulfates, alkane sulfonates, and phosphate esters have from about 8 to about 12 carbon atoms.

26-28. (Canceled)

29. (Original) The composition of claim 10 comprising about 10 wt.% or less of said combination of non-ionic emulsifiers with anionic emulsifiers.

30-36. (Canceled)

37-42. (Withdrawn)

43. (Currently amended) A composition comprising:

drill cuttings; and,

an emulsion comprising droplets comprising free hydrocarbons emulsified by a combination of non-ionic emulsifiers with anionic emulsifiers having an HLB effective to emulsify said free hydrocarbons, said emulsion further comprising in a media adapted to initiate acid reactive polymerization of upon exposure to a polymerizable silicate solution,

wherein said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and,

- said non-ionic emulsifiers are selected from the group consisting of polyoxyethylene alcohols.
- 44. (Previously presented) The composition of claim 43 wherein said anionic emulsifiers comprise from about 8 to about 18 carbon atoms; and said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 8 to about 30 carbon atoms and having from about 3 to about 50 moles ethylene oxide.
- 45. (Previously presented) The composition of claim 44 wherein said anionic emulsifiers comprise from about 13 to about 15 carbon atoms.
- 46. (Currently amended) The composition of claim 45 wherein said anionic emulsifiers are selected from the group consisting essentially of linear polyoxyethylene alcohols, polyoxyethylene alcohols comprising about 10 moles ethylene oxide, and a combination thereof.

47-48. (Canceled).

- 49. (Previously presented) The composition of claim 43 wherein said droplets have a diameter of from about 3 microns to about 20 microns.
- 50. (Previously presented) The composition of claim 49 wherein said droplets have a diameter of from about 3 to about 10 microns.

51-52. (Canceled).

53-79. (Withdrawn).

- 80. (Currently amended) A composition consisting essentially of:
- a combination of non-ionic emulsifiers with anionic emulsifiers having an HLB effective to produce an emulsion comprising free hydrocarbon droplets, said combination further comprising [[a]] media adapted to initiate acid reactive polymerization of aupon exposure to polymerizable silicate solution thereby encapsulating said free hydrocarbon droplets; wherein
- said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and,
- said non-ionic emulsifiers are selected from the group consisting of polyoxyethylene alcohols.
- 81. (Currently amended) The composition of claim 80 wherein
- said alkane sulfates, alkane sulfonates, and phosphate esters comprise have a carbon chain having from about 8 to about 18 carbon atoms; and
- said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having a carbon chain of about 8 to about 30 carbon atoms and having from about 3 to about 50 moles ethylene oxide.
- 82. (Previously presented) The composition of claim 80 wherein said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 13 to about 15 carbon atoms.
- 83. (Previously presented) The composition of claim 80 wherein said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 3 to about 20 moles ethylene oxide.
- 84. (Previously presented) The composition of claim 81 wherein said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 3 to about 20 moles ethylene oxide.
- 85. (Previously presented) The composition of claim 82 wherein said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 3 to about 20 moles ethylene oxide.
- 86. (Currently amended) The composition of claim 80 wherein said polyoxyethylene alcohols are selected from the group consisting of linear

polyoxyethylene alcohols, polyoxyethylene alcohols eomprisinghaving about 10 moles ethylene oxide, and a combination thereof.

- 87. (Currently amended) The composition of claim 81 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols eomprising about 10 moles ethylene oxide, and a combination thereof.
- 88. (Currently amended) The composition of claim 82 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols eomprising about 10 moles ethylene oxide, and a combination thereof.
- 89. (Currently amended) The composition of claim 80 wherein said eombination comprises a blend of non-ionic emulsifier is at a weight ratio to and said anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 90. (Currently amended) The composition of claim 81 wherein said embination comprises a blend of non-ionic emulsifier is at a weight ratio to said and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 91. (Currently amended) The composition of claim 83 wherein said combination comprises a blend of non-ionic emulsifier is at a weight ratio to said and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 92. (Currently amended) The composition of claim 84 wherein said combination comprises a blend of non-ionic emulsifier and is at a weight ratio to said anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 93. (Currently amended) The composition of claim 85 wherein said combination comprises a blend of non-ionic emulsifier and is at a weight ratio to said anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 94. (Currently amended) The composition of claim 88 wherein said embination comprises a blend of non-ionic emulsifier and is at a weight ratio to said anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 95. (Currently amended) The composition of claim 80 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.

- 96. (Currently amended) The composition of claim 82 wherein said alkane sulfates, alkane sulfonates, and phosphate esters comprise have from about 8 to about 12 carbon atoms.
- 97. (Currently amended) The composition of claim 83 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.
- 98. (Currently amended) The composition of claim 85 wherein said alkane sulfates, alkane sulfonates, and phosphate esters emprise have from about 8 to about 12 carbon atoms.
- 99. (Previously presented) The composition of claim 89 comprising about 10 wt.% or less of said combination of non-ionic emulsifiers with anionic emulsifiers.
 - 100. (Currently amended) A composition consisting essentially of:
 - an emulsion comprising droplets comprising free hydrocarbons emulsified by a combination of non-ionic emulsifiers with anionic emulsifiers having an HLB effective to emulsify said free hydrocarbons and comprising [[a]] media adapted to initiate acid reactive polymerization of aupon exposure to polymerizable silicate solution,
 - wherein said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and, said non-ionic emulsifiers are selected from the group consisting of polyoxyethylene alcohols.
 - 101. (Currently amended) The composition of claim 100 wherein:
 - said polyoxyethlyene alcohols <u>have</u>eomprise from about 8 to about 18 carbon atoms; and,
 - said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having -from about 8 to about 30 carbon atoms and from about 3 to about 50 moles ethylene oxide.
- 102. (Currently amended) The composition of claim 100 wherein said polyoxyethylene alcohols eomprise have from about 13 to about 15 carbon atoms.
- 103. (Currently amended) The composition of claim 102 wherein said polyoxyethylene alcohols comprise have from about 3 to about 20 moles ethylene oxide.

- 104. (Currently amended) The composition of claim 102 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols eomprising about 10 moles ethylene oxide, and a combination thereof.
 - 105. (Currently amended) A composition consisting essentially of: drill cuttings; and,
 - an emulsion comprising droplets comprising free hydrocarbons emulsified by a combination of non-ionic emulsifiers with anionic emulsifiers having an HLB effective to emulsify said free hydrocarbons, said emulsion comprising a mediamedia adapted to initiate acid reactive polymerization of aupon exposure to polymerizable silicate solution,

wherein

- said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and,
- said non-ionic emulsifiers are selected from the group consisting of polyoxyethylene alcohols.
- 106. (Currently amended) The composition of claim 105 wherein
- said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have—a earbon chain having from about 8 to about 18 carbon atoms; and
- said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having a carbon chain of about 8 to about 30 carbon atoms and having from about 3 to about 50 moles ethylene oxide.
- 107. (Previously presented) The composition of claim 106 wherein said polyoxyethylene alcohols are selected from the group consisting of polyoxyethylene alcohols having from about 13 to about 15 carbon atoms.
- 108. (Currently amended) The composition of claim 107 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols comprising about 10 moles ethylene oxide, and a combination combinations thereof.
- 109. (Previously presented) The composition of claim 105 wherein said droplets have a diameter of from about 3 microns to about 20 microns.

- 110. (Previously presented) The composition of claim 109 wherein said droplets have a diameter of from about 3 microns to about 10 microns.
- 111. (Previously presented) The composition of claim 108 wherein said droplets have a diameter of from about 3 microns to about 20 microns.
- 112. (Previously presented) The composition of claim 111 wherein said droplets have a diameter of from about 3 microns to about 10 microns.
- 113. (Currently amended) A composition for emulsifying free hydrocarbons in drill cuttings obtained using a drilling fluid comprising isomerized olefins, said composition consisting essentially of:
 - a combination of non-ionic emulsifiers and anionic emulsifiers, said combination having an HLB of about 12.5, said anionic emulsifiers being selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters and said non-ionic emulsifiers comprise being selected from the group consisting of polyoxyethylene alcohols; and,
 - a mediamedia adapted to initiate polymerization of a upon exposure to polymerizable silicate solution.
- 114. (Currently amended) The composition of claim 113 wherein said media eemprises consists essentially of an aqueous solution of phosphoric acid.
- 115. (Currently amended) The composition of claim 114 wherein said aqueous solution of phosphoric acid comprises about 75 wt% phosphoric acid.
- 116. (Previously presented) The composition of claim 114 wherein said combination of non-ionic emulsifiers and anionic emulsifiers is at a weight ratio to said aqueous solution of phosphoric acid of about of 3:23.
- 117. (Previously presented) The composition of claim 115 wherein said combination of non-ionic emulsifiers and anionic emulsifiers is at a weight ratio to said aqueous solution of phosphoric acid of about of 3:23.
- 118. (Currently amended) The composition of claim 113 wherein said non-ionic emulsifiers eomprise have from about 13 to about 15 carbon atoms of linear alcohol ethoxylate with about 10 moles of ethylene oxide.

Apr 08 2004 4:26PM

- 119. (Currently amended) The composition of claim 113 wherein said anionic emulsifiers comprise are selected from the group consisting of secondary alkanesulfonate alkanesulfonates of sodium orand sodium octyl sulfate.
- 120. (Currently amended) The composition of claim 114 wherein said polyoxyethylene alcohols comprise an alcohol having have from a carbon chain of about 13 to about 15 carbon atoms and have about 10 moles of ethylene oxide.
- 121. (Currently amended) The composition of claim 114 wherein said anionic emulsifiers comprise are selected from the group consisting of secondary alkanesulfonatealkanesulfonates of sodium orand sodium octyl sulfate.
- 122. (Currently amended) The composition of claim 115 wherein said polyoxyethylene alcohols eomprise have about 10 moles of ethylene oxide and eomprise a linear alcohol having from about 13 to about 15 carbon atoms.
- 123. (Currently amended) The composition of claim 115 wherein said anionic emulsifiers emprise are selected from the group consisting of secondary alkanesulfonate alkanesulfonates of sodium or and sodium octyl sulfate.
- 124. (Currently amended) The composition of claim 116 wherein said non-ionic emulsifiers emprise have about 13 to about 15 carbon atoms of linear alcohol ethoxylate with about 10 moles of ethylene oxide.
- 125. (Currently amended) The composition of claim 116 wherein said anionic emulsifiers emprise are selected from the group consisting of secondary alkanesulfonatealkanesulfonates of sodium orand sodium octyl sulfate.
- 126. (Currently amended) The composition of claim 117 wherein said non-ionic emulsifiers comprise are selected from the group consisting of linear alcohol ethoxylates having about 13 to about 15 carbon atoms of linear alcohol ethoxylate with about 10 moles of ethylene oxide.
- 127. (Currently amended) The composition of claim 117 wherein said anionic emulsifiers are selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfates comprise secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 128. (Currently amended) The composition of claim 113 wherein said nonionic emulsifiers are at a weight ratio of about 60:40 linear alcohol ethoxylate with 10

moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate of secondary alkanesulfonate of sodium or sodium octyl sulfate.

- 129. (Currently amended) The composition of claim 114 wherein said non-ionic emulsifiers are at a weight ratio of about 60:40 linear alcohol ethoxylate with 10 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfateof secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 130. (Currently amended) The composition of claim 115 wherein said non-ionic emulsifiers are at a weight ratio of about 60:40 linear alcohol ethoxylate with 10 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfateof secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 131. (Currently amended) The composition of claim 117 wherein said non-ionic emulsifiers are at a weight ratio of about 60:40 linear alcohol ethoxylate with 10 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate of secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 132. (Currently amended) The composition of claim 113 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 133. (Currently amended) The composition of claim 114 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 134. (Currently amended) The composition of claim 115 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 135. (Currently amended) The composition of claim 116 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.

- 136. (Currently amended) The composition of claim 117 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 137. (Currently amended) The composition of claim 113 wherein said non-ionic emulsifiers are at a weight ratio of about 85:15 isodecyl alcohol ethoxylate with 6 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfateof secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 138. (Currently amended) The composition of claim 114 wherein said non-ionic emulsifiers are at a weight ratio of about 85:15 isodecyl alcohol ethoxylate with 6 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfateof secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 139. (Currently amended) The composition of claim 115 wherein said non-ionic emulsifiers are at a weight ratio of about 85:15 isodecyl alcohol ethoxylate with 6 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate of secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 140. (Currently amended) The composition of claim 117 wherein said non-ionic emulsifiers are at a weight ratio of about 85:15 isodecyl alcohol ethoxylate with 6 moles of ethylene oxide to said anionic emulsifiers selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate of secondary alkanesulfonate of sodium octyl sulfate.
- 141. (Currently amended) A composition for emulsifying free hydrocarbons in drill cuttings obtained using a drilling fluid comprising esters, said composition consisting essentially of:
 - a combination of non-ionic emulsifiers and anionic emulsifiers, said combination having an HLB of about 15.4, said anionic emulsifiers being selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters and said non-ionic emulsifiers comprise being selected from the group consisting of polyoxyethylene alcohols; and,

- a mediamedia adapted to initiate polymerization of a polymerizable silicate solution.
- 142. (Currently amended) The composition of claim 141 wherein said media eomprises consists essentially of an aqueous solution of phosphoric acid.
- 143. (Currently amended) The composition of claim 142 wherein said aqueous solution of phosphoric acid emprises has about 75 wt% phosphoric acid.
- 144. (Currently amended) The composition of claim 141 wherein said non-ionic emulsifiers comprise are selected from the group consisting of oleyl alcohol ethoxylates with about 20 moles of ethylene oxide.
- 145. (Currently amended) The composition of claim 141 wherein said anionic emulsifiers comprises emulsifier is sodium octyl sulfate.
- 146. (Currently amended) The composition of claim 142 wherein said non-ionic emulsifiers comprise emulsifier is oleyl alcohol ethoxylate with about 20 moles of ethylene oxide.
- 147. (Currently amended) The composition of claim 142 wherein said anionic emulsifiers comprises emulsifier is sodium octyl sulfate.
- 148. (Currently amended) The composition of claim 143 wherein said non-ionic emulsifiers comprise emulsifier is oleyl alcohol ethoxylate with about 20 moles of ethylene oxide.
- 149. (Currently amended) The composition of claim 143 wherein said anionic emulsifiers comprises emulsifier is sodium octyl sulfate.
- 150. (Currently amended) The composition of claim 141 wherein said non-ionic emulsifiers are at a weight ratio of about 90:10 to said anionic emulsifiers, said non-ionic emulsifier being oleyl alcohol ethoxylate with about 20 moles of ethylene oxide to and said anionic emulsifiers of emulsifier being sodium octyl sulfate.
- 151. (Currently amended) The composition of claim 142 wherein said non-ionic emulsifiers are at a weight ratio of about 90:10 to said anionic emulsifiers, said non-ionic emulsifier being oleyl alcohol ethoxylate with about 20 moles of ethylene oxide and to-said anionic emulsifiers of emulsifier being sodium octyl sulfate.
- 152. (Currently amended) The composition of claim 143 wherein said nonionic emulsifiers are at a weight ratio of about 90:10 to said anionic emulsifiers, said non-

ionic emulsifier being oleyl alcohol ethoxylate with about 20 moles of ethylene oxide and to-said anionic emulsifier being sodium octyl sulfate.

- 153. (Currently amended) A composition for emulsifying free hydrocarbons in drill cuttings obtained using a drilling fluid comprising paraffin-containing mud, said composition consisting essentially of:
 - a combination of non-ionic emulsifiers and anionic emulsifiers, said combination having an HLB of about 12.5, said anionic emulsifiers being selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters and said non-ionic emulsifiers comprise being selected from the group consisting of polyoxyethylene alcohols; and,
 - a mediamedia adapted to initiate polymerization of aupon exposure to polymerizable silicate solution.
- 154. (Previously presented) The composition of claim 153 wherein said media comprises an aqueous solution of phosphoric acid.
- 155. (Currently amended) The composition of claim 154 wherein said aqueous solution of phosphoric acid emprises has about 75 wt% phosphoric acid.
- 156. (Currently amended) The composition of claim 153 wherein said non-ionic emulsifiers comprise emulsifier is -isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 157. (Currently amended) The composition of claim 153 wherein said anionic emulsifiers comprises emulsifier is selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 158. (Currently amended) The composition of claim 154 wherein said non-ionic emulsifiers comprise cmulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 159. (Currently amended) The composition of claim 154 wherein said anionic emulsifiers comprises emulsifier is selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfate secondary alkanesulfonate of sodium or sodium octyl sulfate.

- 160. (Currently amended) The composition of claim 155 wherein said non-ionic emulsifiers comprise emulsifier is isodecyl alcohol ethoxylate with about 6 moles of ethylene oxide.
- 161. (Currently amended) The composition of claim 155 wherein said anionic emulsifier is selected from the group consisting of secondary alkanesulfonates of sodium and sodium octyl sulfateemulsifiers comprises secondary alkanesulfonate of sodium or sodium octyl sulfate.
- 162. (Currently amended) A composition for emulsifying free hydrocarbons in drill cuttings obtained using a drilling fluid comprising synthetic isoparaffin-containing mud, said composition consisting essentially of:
 - one or more non-ionic emulsifiers having an HLB of about 10.9, said non-ionic emulsifiers emprising being selected from the group consisting of polyoxyethylene alcohols; and,
 - a mediamedia adapted to initiate polymerization upon exposure to of a polymerizable silicate solution.
- 163. (Previously presented) The composition of claim 162 wherein said media comprises an aqueous solution of phosphoric acid.
- 164. (Currently amended) The composition of claim 163 wherein said aqueous solution of phosphoric acid eomprises has about 75 wt% phosphoric acid.
- 165. (Currently amended) The composition of claim 162 wherein said non-ionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 3 moles of ethylene oxide.
- 166. (Currently amended) The composition of claim 162 wherein said non-ionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 10 moles of ethylene oxide.
- 167. (Currently amended) The composition of claim 163 wherein said non-ionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 3 moles of ethylene oxide.
- 168. (Currently amended) The composition of claim 163 wherein said nonionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 10 moles of ethylene oxide.

- 169. (Currently amended) The composition of claim 164 wherein said non-ionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 3 moles of ethylene oxide.
- 170. (Currently amended) The composition of claim 164 wherein said non-ionic emulsifiers comprise emulsifier is isotridecyl ethoxylate with about 10 moles of ethylene oxide.
- 171. (Previously presented) The composition of claim 162 wherein said non-ionic emulsifiers are at a weight ratio of about 50:50 isotridecyl ethoxylate with about 3 moles of ethylene oxide to isotridecyl ethoxylate with about 10 moles of ethylene oxide.
- 172. (Previously presented) The composition of claim 163 wherein said nonionic emulsifiers are at a weight ratio of about 50:50 isotridecyl ethoxylate with about 3 moles of ethylene oxide to isotridecyl ethoxylate with about 10 moles of ethylene oxide.
- 173. (Previously presented) The composition of claim 164 wherein said non-ionic emulsifiers are at a weight ratio of about 50:50 isotridecyl ethoxylate with about 3 moles of ethylene oxide to isotridecyl ethoxylate with about 10 moles of ethylene oxide.
 - 174. (Currently amended) A composition consisting of:
 - a combination of non-ionic emulsifiers with anionic emulsifiers having an HLB effective to emulsify free hydrocarbons and comprising a media in media adapted to initiate acid reactive polymerization of aupon exposure to polymerizable silicate solution-, wherein
 - said anionic emulsifiers are selected from the group consisting of alkane sulfates, alkane sulfonates, and phosphate esters; and,
 - said non-ionic emulsifiers comprise are selected from the group consisting of polyoxyethylene alcohols.
 - 175. (Currently amended) The composition of claim 174 wherein said alkane sulfates, alkane sulfonates, and phosphate esters comprise a carbon chain having have from about 8 to about 18 carbon atoms; and said polyoxyethylene alcohols comprise an alcohol having have from a carbon chain of about 8 to about 30 carbon atoms and having from about 3 to about 50 moles ethylene oxide.

- 176. (Currently amended) The composition of claim 174 wherein said polyoxyethylene alcohols comprise an alcohol havinghave from about 13 to about 15 carbon atoms.
- 177. (Currently amended) The composition of claim 174 wherein said polyoxyethylene alcohols comprise an alcohol having have from about 3 to about 20 moles ethylene oxide.
- 178. (Currently amended) The composition of claim 175 wherein said polyoxyethylene alcohols comprise have from about 3 to about 20 moles ethylene oxide.
- 179. (Currently amended) The composition of claim 176 wherein said polyoxyethylene alcohols comprise have from about 3 to about 20 moles ethylene oxide.
- 180. (Currently amended) The composition of claim 174 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols emprising about 10 moles ethylene oxide, and a combination thereof.
- 181. (Currently amended) The composition of claim 175 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols comprising about 10 moles ethylene oxide, and a combination thereof.
- 182. (Currently amended) The composition of claim 176 wherein said polyoxyethylene alcohols are selected from the group consisting of linear polyoxyethylene alcohols, polyoxyethylene alcohols comprising about 10 moles ethylene oxide, and a combination thereof.
- 183. (Currently amended) The composition of claim 174 wherein said combination emprises a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 184. (Currently amended) The composition of claim 175 wherein said combination eomprises is a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 185. (Currently amended) The composition of claim 177 wherein said combination emprises a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.

- 186. (Currently amended) The composition of claim 178 wherein said combination emprises a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 187. (Currently amended) The composition of claim 178 wherein said combination eomprises a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 188. (Currently amended) The composition of claim 182 wherein said combination comprises is a blend of non-ionic emulsifier and anionic emulsifier at a weight ratio of about 50/50 to about 85/15.
- 189. (Currently amended) The composition of claim 174 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.
- 190. (Currently amended) The composition of claim 176 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.
- 191. (Currently amended) The composition of claim 177 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.
- 192. (Currently amended) The composition of claim 179 wherein said alkane sulfates, alkane sulfonates, and phosphate esters eomprise have from about 8 to about 12 carbon atoms.
- 193. (Currently amended) The composition of claim 183 eomprising with about 10 wt.% or less of said combination of non-ionic emulsifiers with anionic emulsifiers.
 - 194. (Canceled)